

[10191/3549]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BOARD OF PATENT APPEALS AND INTERFERENCES

In re Application of: CALLIES et al.			: Examiner: S. Heinrich
For:	DEVICE FOR LASER DRILLING		: : Art Unit: 1725
Filed:	March 10, 2004		:
	: 10/798,116		: Confirmation No.: 5929 :x
Commissi P.O. Box	Appeal Brief - Patent ioner for Patents 1450 a, VA 22313-1450	ts	
	API	PEAL BRIEF TRANS	MITTAL
SIR:			
		_	entified patent application, please find
	-	C.F.R. § 1.192(a), in tri	
Ple	ease charge the Appea	al Brief fee of \$500.00,	and any other fees that may be
required in	n connection with this	communication to the	deposit account of Kenyon &
Kenyon,	deposit account numb	er 11-0600.	
Aŗ	ppellants hereby reque	est a one-month extensi	on of time for submitting the Appeal
Brief. The	e extended period for	submitting the Appeal	Brief expires on January 3, 2006.
Please cha	arge the \$120.00 exter	nsion fee and any other	fee that may be required to Deposit
Account N	No. 11-0600. A duplic	cate of this Transmittal Respectfully sub	
Dated:	1/3/04	By: Serard A	. Messina
006 RFEKADU1 0000	0010 110600 10798116	Reg. No.	35,952
251 120.00			N & KENYON
		One Broa	•
		New Yorl (212) 425	k, NY 10004
y certify that this	correspondence la bein	a deposited with	-/200
ited States Posta	il Service as first class m sioner for Patents, P.O.	all in an envelope	


Atty's Signature

Date

1/3/06

DERVIS MAGISTRE KENYON & KENYON

Atty's Reg. # 41,172





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE **BOARD OF PATENT APPEALS AND INTERFERENCES**

: Examiner: S. Heinrich In re Application of:

CALLIES et al.

DEVICE FOR LASER DRILLING For:

: Art Unit: 1725

Filed: March 10, 2004

: Confirmation No.: 5929

1 hereby certify that this correspondence is being deposited with Serial No.: 10/798,116 the United States Postal Service as first class mail in an envelope

addressed to: Commissioner for Patents, P.O. Box 1450

Alexandria, VA 22313-1450, on

Mail Stop Appeal Brief - Patents Commissioner for Patents

Atty's Signature

Atty's Reg. # <u>41.172</u>

P.O. Box 1450 Alexandria, VA 22313-1450 NYON & KENYON

APPEAL BRIEF PURSUANT TO 37 C.F.R. § 41.37

SIR:

On September 29, 2005, Appellants submitted a Notice of Appeal from the final rejection of claims 9, 11, and 13-16 contained in the Final Office Action issued by the U.S. Patent and Trademark Office (the "PTO") on April 12, 2005, in the aboveidentified patent application. The Notice of Appeal was received on October 3, 2005, providing for the 3 month filing date of this Appeal Brief as falling on December 5, 2005. This brief is being submitted with a request for a one-month extension of time and the requisite fee.

In accordance with 37 C.F.R. § 41.37, this brief is submitted in support of the appeal of the final rejection of claims 9, 11, and 13-16. For at least the reasons set forth below, the final rejection of claims 9, 11, and 13-16 should be reversed.

1. **REAL PARTY IN INTEREST**

The real party in interest in the present appeal is Robert Bosch GmbH, Postfach 30 02 20, 70442 Stuttgart, Federal Republic of Germany. Bosch is the assignee of the entire right, title, and interest in the present application.

01/06/2006 RFEKADU1 00000010 110600 10798116

02 FC:1402 500.00 DA

2. RELATED APPEAL'S AND INTERFERENCES

There are no interferences or other appeals related to the present application.

3. <u>STATUS OF CLAIMS</u>

Claims 1-8, 10, 12 are currently cancelled. Claims 9, 11, 13-16 are currently pending. Claims 9, 11, 13-16 currently stand rejected. Appellants appeal the rejection of claims 9, 11, 13-16.

4. STATUS OF AMENDMENTS

There are currently no amendments pending.

5. SUMMARY OF THE CLAIMED SUBJECT MATTER

Briefly, claims 9, 11, and 13-16 provide for, *inter alia*, a laser drilling device that includes a laser for generating a laser beam and a device for generating an electric field in an area of the point of action on a workpiece. The device for generating an electric field further includes an electrode and current-voltage source providing for the electric field to be applied between the workpiece and the electrode. The device for generating an electric field provides interconnectivity such that the workpiece itself is positively charged (+) and the electrode is negatively charged (-).

6. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Claims 9, 11, and 14-16 are rejected under 35 U.S.C. §102(b) as being anticipated by Japanese Patent No. JP708155670A (hereinafter referred to as "JP '670"). Claims 9, 11, and 14-16 are rejected under 35 U.S.C. §102(b) as being anticipated by Japanese Patent No. JP 06000684A (hereinafter referred to as "JP '684").

Claim13 is rejected under 35 U.S.C. §103(a) as being unpatentable over U.S. JP '670 in view of Japanese Patent No. JP7266073A (hereinafter referred to as "JP '073").

7. <u>ARGUMENTS</u>

The rejection of claims 9, 11, 14-16 is improper

Claims 9, 11, 14-16 stand rejected under 35 U.S.C. §102(b) as being anticipated by both JP '670A and JP '684. This rejection is improper because both JP '670 and JP '684 fail to identically disclose every limitation of claims 9, 11 and 14-16.

Claim 9 recites a device for laser drilling and laser erosion that includes a laser for generating a laser beam and a device for generating an electric field. The electric field generating device includes an electrode and a current-voltage source. Through the positioning of the electrode a distance from the point of action on the workpiece and the current-voltage source being interconnected between an electrically conductive workpiece and the electrode, an electric field is applied therebetween. Additionally, the workpiece and electrode are interconnected such that the workpiece is positively charged (+) and the electrode is negatively charged (-). Claims 11 and 14-16 depend from and recite further patentable subject matter in view of claim 9.

JP '670 discloses a device providing the laser drilling or laser removal from a workpiece. According to the Abstract and Figures 1 and 3, two electrodes are connected to each other, using a current-voltage source to generate an electric field. These two electrodes include a base electrode 2, also referred to as a substrate electrode 2, and an opposite electrode 3. Explicitly disclosed in JP '670, workpiece W itself is NOT electrically connected to the current-voltage source, but rather is merely situated on the substrate electrode 2. (See, for example, para 1 stating "applying electric field near the workpiece" and para. 18 stating "Workpiece W is laid on the substrate electrode 2").

In support of and for upholding of this rejection, the Examiner states that the device of JP '670 "can be arranged with an electric field such that the workpiece is either charged positive or negative." (Final Office Action, page 3, para. 3; Advisory Action, Cont. Sheet). Appellants respectfully disagree with the Examiner's assertion that JP '670 anticipates the claimed invention because JP '670 does not disclose the current-voltage source being interconnected between an electrically conductive workpiece and the electrode. Rather, JP '670 explicitly discloses the current-voltage source being interconnected between two electrodes (2 and 3, not W), which is wholly inconsistent with the claimed invention.

JP '684 discloses a similar invention to JP '670, providing the application of voltage between electrode (7) and mask electrode (6) to generate an electric field relative to the surface of a PGA. Same as with JP '670, Appellants submit the Examiner has asserted an improper rejection because JP '684 does not disclose the current-voltage source being interconnected between an electrically conductive workpiece and the electrode. Rather, JP '684 explicitly discloses the current-voltage source being interconnected between two electrodes (6 and 7, not PGA), which is wholly inconsistent with the claimed invention.

In both JP '670 and JP '684, using the workpiece itself as an electrode is neither discussed nor indicated. For example, in JP '684 this may not be discussed or indicated because the PGA housing is typically made of a non-conducting material.

Through the interconnection of the current voltage source to the workpiece and the electrode, the claimed invention realizes technical advantages. For example, by refraining from the use of a substrate electrode, the claimed device offers a technically simple and cost-effective construction. The present invention avoids potential problems with bad mechanical or electrical contacts between the workpiece and electrode by having the workpiece itself being directly connected to the current voltage source and the workpiece consequently is used as the electrode. If the electrical contacting between the substrate electrode and the workpiece is not fully ensured, for example, by contamination on the substrate electrode, then the workpiece itself is not electrically charged, as required by claim 9. As a result, the acceleration "a" of the ions in the electrical fields is reduced, since then, as the distance "d" between the electrodes, the distance between the substrate electrode and the counter-electrode is to be considered, and not the shorter distance between the surface of the workpiece and the counter-electrode (e.g., see the formula in the table in page 5 of the specification.)

Even if the electrical contacting between the substrate electrode and the workpiece were fully ensured, bringing into contact the workpiece with the substrate electrode corresponds physically to an interference in the original electrical field between the two electrodes, since the electrical field is changed by the workpiece. Therefore, it must be assumed that the electrical field changes even at the effective location on the workpiece, and thus makes more difficult a controlled processing of the workpiece.

Therefore, Appellants submit the rejection of claims 9, 11 and 14-16 under 35 U.S.C. §102(b) as being anticipated by either JP '670 or JP '684 is improper because both JP '670 and JP '684 fail to identically disclose every limitation as claimed.

The rejection of claim 13 is improper

Claim 13 stands rejected under 35 U.S.C. §103(a) as being unpatentable over JP '670 in view JP '073. This rejection is improper because the combination of JP '670 and JP '073 fails to teach or suggest every limitation of claim 13.

Claim 13 recites the device including of claim 9, wherein a magnetic field is applied in an area of the point of action of the workpiece.

In support of this rejection, the Examiner asserts JP '073 as teaching "well known machining using the magnetic field applied to the point of action." (Final Office Action, page 3, lines 8-9 and 15-16) JP '073 is not asserted to overcome the above-noted deficiency of JP '670, specifically failing to disclose the current-voltage source being interconnected between an electrically conductive workpiece and the electrode. As JP '073 is only asserted regarding its disclosure of the application of the magnetic field, Appellants respectfully resubmit the above-offered position regarding the deficiencies of the disclosure of JP '670 as applied to the claimed invention. As such, the combination of JP '670 and JP '073 fails to teach or suggest every limitation of claim 13.

Therefore, Appellants submit the rejection of claim 13 under 35 U.S.C. §103(a) is improper because JP '670 fails to disclose, teach or suggest the current-voltage source being interconnected between an electrically conductive workpiece and an electrode. Moreover, the combination of JP '670 and JP '073 fails to overcome this deficiency as JP '073 is asserted by the Examiner solely for teaching of the application of a magnetic field near the point of action.

8. CONCLUSION

For at least the reasons indicated above, Appellants respectfully submit that the art of record does not teach or suggest Appellants' invention as recited in the claims of the above-identified application. Accordingly, it is respectfully submitted that the invention recited in the claims of the present application is new, non-obvious and useful. Reversal of the Examiner's rejections and objections of the claims is therefore respectfully requested.

Respectfully submitted,

Dated: 1/3/06

By: 16.7

By: 16.7

Gerard Messina Registration No. 35,952

KENYON & KENYON One Broadway New York, NY 10004 (212) 425-7200

CLAIMS APPENDIX

- 9. (Previously Presented) A device for laser drilling and laser erosion comprising: a laser for generating a laser beam acting upon a point of action on a workpiece; a device for generating an electric field in an area of the point of action, wherein the device for generating the electric field includes an electrode and a current-voltage source, the electrode being situated at a distance from the point of action, the current-voltage source being interconnected between an electrically conductive workpiece and the electrode in such a way that the electric field is applied between the workpiece and the electrode, and wherein the workpiece and the electrode are interconnected in such a way that the workpiece is positively charged and the electrode is negatively charged.
- 11. (Previously Presented) The device according to claim 9, wherein the current-voltage source is a direct current-voltage source.
- 13. (Previously Presented) The device according to claim 9, wherein a magnetic field is applied in an area of the point of action on the workpiece.
- 14. (Previously Presented) The device according to claim 9, further comprising an electric measuring device for measuring a current flowing between the workpiece and the electrode.
- 15. (Previously Presented) The device according to claim 9, wherein the current-voltage source generates a high-frequency alternating voltage, and further comprising a measuring device for measuring a capacitive resistance between the workpiece and the electrode.
- 16. (Previously Presented) The device according to claim 9, wherein the electrode has a one-piece design and has at least one opening through which the laser beam passes without obstruction.

EVIDENCE APPENDIX

Appellants submit no additional evidence.

RELATED PROCEEDINGS APPENDIX

There are no related proceedings.